

RETAIL



Invoice to:			Deliver to:	
Name:			Name:	
Street:		\perp C ϵ	Street:	
Town:	Postal code:		Town:	Postal code:
E-Mail:			E-Mail:	
Tel:	Fax:		Tel:	Fax:
				
Order date:			Marked for:	
Purchase order:				
Number required:			Sunrise order no:	
				
Fax number: +44 (0)845 605 66 89	Base Pricing		Max. user weight:	125 kg
Email: orders@sunmed.co.uk	£1,250		USER WEIGHT	kg
Part no. 84400101 QMA01				

CLIENT MEASUREMENT

Seat width (cm)

		34	36	38	40	42	44	46	48
_	36	0	0	0	0	0	0	0	0
ű.	38	0	0	0	0	0	0	0	0
h (c	40	0	0	0	0	0	0	0	0
depth (cm)	42	0	0	0	0	0	0	0	0
it d	44	0	0	0	0	0	0	0	0
Seat	46	0	0	0	0	0	0	0	0
0,	48	0	0	0	0	0	0	0	0
	50	0	0	0	0	0	0	0	0
	Diagon note	that the me	oouromont i	c from the h	aak Allmaa	auramanta a	ro in om on	d without a c	unhion

Frame Length Matrix								
Seat Depth	Frame Length							
36-40cm	Short							
42-44cm	Medium							
46-48cm	Long							
50cm	Extra long							

Please note that the measurement is from the back. All measurements are in cm and without a cushion.

FRONT SEAT HEIGHT SELECTION: independent of front castors and frame versions

Front seat height (cm)

		Fork type (mm)	39	40	41	42	43	44	45	46	47	48	49	50
	4"	Short	0	0		0		0						
	4	Long				0		0	0		0			
	5"	Short	0	0	0	0	0	0	0					
	3	Long				0	0	0	0	0		0		
	6"	Short	0	0		0	0	0	0	0	0			
		Long				0	0		0	0	0	0	0	
	7"	Long						0	0		0	0	0	0

Max. difference front/ rear seat height: 0 - 110 mm

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height (cm)

Wheels	36	37	38	39	40	41	42	43	44	45	46	47	
22"	0	0	0	0	0		0	0	0				
24"			0	0	0		0	0	0	0	0		
25"				0	0	0	0		0	0	0	0	

Front Castor

									£
		SEAT UPHOLSTE	RY AN	D CUSHI	ONS				
		Seat Slings							
LRF020001	•	Seat sling, Nylon, ten							
LRF020002		Seat sling, nylon, tens	sion adjus	table, 1 util	ity bag				28
LRF020000	0	Without seat sling							
		Seat Cushion with b							T
LRF020101		Seat cushion, foam (r							66
LRF020102		Seat cushion, foam (r							66
LRF020103		Seat cushion, Latex (-						66
LRF020104		Seat cushion, Latex (3cm		66
		Seat Cushion with w							T
LRF020105				-				stant,cover with zipper,black,3cm	123
LRF020106								stant,cover with zipper,black,5cm	123
LRF020107			-					t, cover with zipper, black, 5cm	123
LRF020108		•						nt, cover with zipper, black, 8cm	123
		Jay Cushion - for co	mplete J	ay product	range	see Jay	y order t	forms	<u> </u>
JAY020002		JAY Basic							55
JAY020003		JAY Soft Combi P							77
JAY020001		JAY Easy Visco C							132
JAY020007		JAY Easy Fluid							308
JAY020004		JAY LITE							215
		Seat accessories							
LRF090018		Lap belt with buckle, i	metal						58
LRF020150		Replacement cover for	r seat cu	shion, cove	r with zi	pper, b	lack	(only with cushion order	48
		BACKREST		_	_	•			
Backrest h	neigh	t range	25-30	30-35	35-4	40	40-50		
Back heigh	t set a	at (cm)	O 25		_		0 40		
			O 27.	5 0 32.	_	37.5	2 42.5		
			O 30	0 35	0	40	O 45		
									1
LRF030001	•	Backrest tube, alumin						(from BH 27.5cm)
LRF030015	0	Backrest, angle-adjus							
		O -12° (78 EU)	0	-8° (82	,		0	-4° (86 EU)	
		O 0° (90) EU)	0	4° (94			0	8° (98 EU)	
LRF030102		Backrest, angle-adjus	table, loc	k when fold	led			(only with angle adj back	69
		Push handles							<u> </u>
LRF030201	•	Push handles long							
LRF030203		Push handles, fold-do						(only from back height 30cm	+
LRF030204		Push handles, height-						(only from back height 30cm	
LRF030205		Push handles, height-		e for Jay ba	acks			(only from back height 30cm	171
LRF030200	0	Without push handles	i						
		Headrest							
LRF030410		Headrest, tall height, dep	oth and and	gle-adjustabl	e, 23 x 1	1cm		(Only with push handles height adjustable	203
LRF030411		Headrest, medium heigh	t, depth &	angle-adjust	able, 20	x 11cm		(Only with push handles height adjustable	203
		Backrest upholstery	(black)						
LRF030316	0	EXO Backrest sling, p	added, a	djustable, 1	access	sory bag	g, black ((Evo Exo Version)	
		Colour, binding tape:	● BI	ack O O	range	O Silve	r O R	ed O Blue	
LRF030317			•					ric, accessory bag, black (Evo Exo Version)	147
		Colour, binding tape:		ack O O	range	O Silve	r O R	ed O Blue	
LRF030000	0	Without backrest uph	olstery						

												£
	JAY	BACKS plu	us AC	CESSORIE	S - fo	or comple	te Ja	y product range	see Jay order	forms		
Jay 3 Back - Sha	llow Co	ntour										
Mid Thoracic:						JAY03001	10	Medium 34cm		JAY030033	Tall 38cm	506
Upper Thoracic:		JAY030012	Short	42cm		JAY03001	19	Medium 46cm		JAY030025	Tall 50cm	572
Shoulder Height:		JAY030015	Short	53cm		JA Y03002	22	Medium 57cm		JAY030028	Tall 61cm	572
Jay 3 Back - Mid	Conto	ır										
Mid Thoracic:						JA Y03001	11	Medium 34cm		JAY030018	Tall 38cm	506
Upper Thoracic:		JAY030013	Short	42cm		JA Y03002	20	Medium 46cm		JAY030026	Tall 50cm	572
Shoulder Height:		JAY030016	Short	53cm		JA Y03002	23	Medium 57cm		JAY030029	Tall 61cm	572
Jay 3 Back - Mid	Deep C	Contour										
Mid Thoracic:		JAY030040	Short	30cm						JAY030041	Tall 38cm	627
Upper Thoracic:						JA Y03004	12	Medium 46cm				627
Shoulder Height:		JAY030043	Short	53cm								627
Jay 3 Back - Dee	p Cont	our										
Upper Thoracic:		JAY030014	Short	42cm		JA Y03002	21	Medium 46cm		JAY030027	Tall 50cm	627
Shoulder Height:		JAY030017	Short	53cm		JA Y03002	24	Medium 57cm] JAY030030	Tall 61cm	627
Jay Easy Back -	Posteri	or Deep Con	tour									
Mid Thoracic:		•] JAY050037	Tall 38cm	528
Upper Thoracic:						JA Y05003	31	Medium 46cm				528
Shoulder Height:		JAY050032	Short	53cm								528
JAY030004		Jay Headres	t S/A								(only with Jay 3 backs)	255
JAY030006		Standard Jay		·oct							(only with Jay 3 backs)	138
6 /1/000000		REST AND									(orny war day o backe)	130
	Armre		JOIDE	GUANDS			(chr	nose only one ontion in	ot in combination v	with eideauarde:	only with 0° and 1° camber)	
<i>LRF040050</i> □			ard ho	ight-adjustable	o rom	ovabla ar	•		ot iii combination v	wiiii siacgaaras,	only with o and i camber)	146
<i>LRF040050</i> □				ight-adjustable	-	-	•	, ,,				146
LRF040052			-	,	-	-		, ,,	mnod (22cm)			146
EN 040002			iiu, ue	otti aujustable,	10011	ieigi it-auju	ısıav	le, removable, arr	npau (33cm)	(not	in combination with armrest)	140
LRF040107 O		uards	ito ron	acychla 21 an	n hiah	/21 om los	na\ h	look		(HOL	iir combination with armiest)	
LRF040102				novable, 21 cr	Ť					/offo	otivo poet width is our . 20m)	164
				d weather prof		`		,		•	ctive seat width is sw + 2cm)	
LRF040103				der, cold weat		,				•	ctive seat width is sw + 2cm)	164
LRF040104 □			iibie, ie	ender, cold we	auriei	protection	(blac	;K)		(ene	ctive seat width is sw + 2cm)	308
1.DE010010	FRA			((()							(1115 04)	
LRF010010 O		FF 75 ° (inte									(LLL from 34cm)	
LRF010011 O		FF 85 ° (inte										
LRF010016		`		footrest), inse	t (2cn	n on each	side)	, active				146
LRF010015 O		SA (removal										
LRF090100 ●		wn brackets f		•								
_				Y (COG) m	easure	ed from fro	ont of	back post; choose	e only one opti	on		
COG23 O		e of gravity 2.0										
COG43 O	Centre	e of gravity 4.3	3cm									
COG63 O	Centre	e of gravity 6.3	3cm									
COG83 O	Centre	e of gravity 8.3	3cm									
	Frame	e accessories	s									
LRF010500 □	Handl	oike axle									(1)	270
LRF090010 □	Trans	it wheels							(Not with crutch	holder, tip assist and anti tip)	194
	Tip as	ssist (step tu	be) & (Crutch holder	•				(choo	se either tip ass	ist or anti-tip tubes, not both)	
LRF090001 □	Tip as	sist, left			LRF09	90002		Tip assist, right				28
<i>LRF090003</i> □	Tip as	sist, pair										54
<i>LRF090009</i> □	Crutch	n holder, loop								(only i	n combination with tip assist)	67
	Anti-t	ip tubes, swi	ng-aw	ay					(choos	se either tip assi	st or anti- tip tubes, not both)	
LRF090036 O	Anti-ti	p tubes, alum	inium,	lightweight, sw	/ing-a	way (forwa	ards)	pair				
LRF090004 □	Anti-ti	p tubes, swinç	g-away	, left	LR	?F090005		Anti-tip tubes, swi	ing-away, right			75
<i>LRF090006</i> □	Anti-ti	p tubes, swinç	g-away	, pair								147
(1) (max 100 kg u	ser weigl	ht; not with drun	nbrake,	crutch holder, tip	assis	t, anti tip, wi	heel d	rive)				
		•		•								

			£							
		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frame								
LRF090211		Preparation for ATTITUDE, w/o ATTITUDE order (docking pins assembled)	97							
LRF090212	0	Preparation for ATTITUDE, with ATTITUDE order (docking pins assembled; ATTITUDE order seperately)								
		HANGERS & FOOTPLATES								
LRF050002	0	Hanger angle 70°								
LRF050001	0	Hanger angle 80°								
LRF050041	0	Hanger angle 90° (not with 6" & 7" castor)								
LRF050008	0	Hanger, aluminium, swing-away, pair								
LRF050006	0	Hanger, aluminium, swing-away, LH LRF050007 ○ Hanger, aluminium, swing-away, RH								
		Composite hanger								
LRF050002	0	Hanger angle 70°								
LRF050001	0	Hanger angle 80°								
LRF050005	0	Hanger, composite, swing-away, pair								
LRF050003	0	Hanger, composite, swing-away, LH								
		Elevating Legrest (ELR)								
LRF050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1) (from seat width 38cm)	255							
LRF050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH (1)	127							
LRF050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH (1)	127							
		Footplate (when SA front selected)								
LRF050020	•	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2)								
LRF050050		Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (from LLL 35cm)	110							
LRF050102		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	146							
		LRF050126 ☐ Swing-away mechanism for platform footboard (from LLL 34cm)	102							
		LRF050062 □ Locking system, platform footplate, aluminium	54							
		Platform footrest, angle adjustable (only for seat width 32 to 50cm)								
LRF050131		Footboard, platform, lightweight, composite, angle & depth-adjustable flip up, calf strap black (4)	144							
LRF050132		Footboard, platform lightweight, carbon fibre, angle &depth-adjustable flip-up, calf strap, black (4)								
LRF050127		Adjustable side protection, to create a side-stop on the footboard (only in combination with Platform)	19							
		Footrest (only with fixed front frame) (not with hanger; lower leg length between 36 - 52.5cm)								
LRF050025	0	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black								
LRF050024		Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, frame colour	146							
LRF050127		Adjustable side protection, to create a side-stop on the footboard (only with LIR050025/050024/050032)	19							
		LOWER LEG LENGTH (LLL in cm) (Attention: LLL has to be 25 mm lower than seat height front)								
	0	33 0 34 0 35 0 36 0 37 0 38 0 39								
	0	40 0 41 0 42 0 43 0 44 0 45 0 46 0 47								
		FORK (compare with your choice on the first page)								
LRF080041	•	Castor fork, Aluminium, Black								
		LRF080042 O Colour Cast. Fork Silver								
		LRF080043 O Colour Cast. Fork Orange								
		CASTOR (compare with your choice on the first page)								
LRF080301	0	Castor, solid (hard), rim: composite, black								
LRF080302	0	Castor, solid (soft), rim: composite, black (only for 5" & 6" castors; max SH 520mm)								
LRF080305	0	Castor, pneumatic, rim: composite, black (only for 6" & 7" castors)								
LRF080303		Castor, solid (hard), light-up, rim: composite, black (Not available for 6"/7")	67							
		Castor with aluminium rim								
LRF080304		Castor, solid (hard), rim: aluminium (Only for 4" and 5")	79							
LRF080306		Castor, solid (soft), rim: aluminium, silver (Only for 4" and 5";)	79							
		Colour, rim: LRF080311 O Black LRF080315 O Blue								
		LRF080313 O Orange LRF080314 O Red								
(1):	Not	in combination with platform footboard (2): pair; from LLL 33cm; only from SW 36cm								
(3):	fror	n LLL 35cm; not in combination with ELR (4): not with ELR								
	_									

			£								
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)									
LRF070000	0	Without rear wheel									
LRF070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 22"/24")									
LRF070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")									
LRF070003		Rear wheel, Lightweight, 24 spokes (silver), straight spokes (max. user weight: 125 kg)	222								
LRF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (max. user weight: 100 kg)	468								
LRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver (only 24"/25")	437								
LRF070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (only 22"/24")	353								
LRF070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	297								
LRF070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	453								
		TYRES (choose only one tyre type)									
LRF070107	•	Tyre, pneumatic, slick, Schwalbe One (only 24"/25")									
LRF070101	0	yre, pneumatic, fine profile, Schwalbe Right Run (only 22"/24")									
LRF070102	0	Tyre, puncture proof, tread (25" only with Proton, lightweight wheel)									
LRF070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (only 24")	90								
LRF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (only 24"/25")	90								
		HANDRIM									
LRF070202	0	Handrims, aluminium, anodised, silver									
LRF070201	0	Handrims, aluminium, powder-coated, clear									
LRF070204		Handrims, stainless steel, silver	60								
LRF070203		Handrims, aluminium, powder-coated, coloured									
LRF070207		Handrims, Supergrip ® (22" only with universal and drum brake wheels)									
LRF070208		Handrims, Maxgrepp ® (only 22"/24", only handrim mounting wide)									
LRF070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)									
LRF070200	0	Without handrims									
		HANDRIM MOUNTING									
LRF070307	0	Handrim mount, super narrow (7 mm) (Only with 24" stainless steel)									
LRF070317	0	Handrim mount, narrow (17 mm) (not with Maxgrepp)									
LRF070327	0	Handrim mount, wide (27 mm)									
		HANDRIM COVER									
LRF070250		Handrim cover, Silicon (not with 25", Supergrip.Maxgrepp)	90								
		WHEEL CAMBER (choose only one option; Armrests only with 0° & 1°)									
LRF070600	0	Camber 0° (no camber brackets provided)									
LRF070601	•	Camber 1° LRF070603 O Camber 3°									
LRF070602	0	Camber 2° LRF070604 O Camber 4°									
		SPOKE GUARDS (not with spinergy wheels, not with 25", not with mountain bike)									
LRF070831		Transparent	122								
LRF070824		Racing LRF070801 □ Abstract LRF070806 □ Chrome	122								
LRF070822		Pool <i>LRF070820</i> □ Oriental <i>LRF070809</i> □ Dirt Race	122								
LRF070811		Feather LRF070817 □ Hot Wheels LRF070802 □ Basketball	122								
LRF070814		Graffiti LRF070807 □ Creative LRF070827 □ Silk	122								
		WHEEL LOCKS (choose only one option)									
LRF060001	0	Standard brake									
LRF060003		Compact brake	58								
LRF060002		Knee-lever brake	56								
LRF060010		Brake lever extension, knee-lever brake, fold-down	38								

	•	0500001								£
/ DE00000		CESSORIE	:5							
LRF090000	•	Tool kit								45
LRF090025		Air pump	(O	44 5-1						15
LRF090024		High pressu	re pump (U -	· 11 bar)						73
LRF090030		Back pack								59
LRF090019 LRF090026		Caddy, flip-u		or bags						59 44
LRF090026		LOURS (1)	·	noult our oo	lour oot		noine			44
	CO	Frame	Handrim	Hub/rim	Fork	alogue to review your colour ch	Frame	Handrim	Hub/rim	Fork
		Tranic	£60	£171	£58		Tramo	£60	£171	£58
01 White RAI	I 901	0 0				26 Silver Texture	0			
02 Brilliant Si		0				27 Graphite metallic	0			
03 Silver Mat		0				28 Platinum metallic	0	_		
04 Silver	•	0				29 Black	0			
06 Sun Yellov	w	0				31 Matt Black	0			
07 Brilliant Li		0				32 Signal White	0			
08 Matt Lime		0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			
15 Brilliant M	arina	0				35 Skyblue	0			
16 Matt Marir		0				36 Cyan-Metallic	0			
19 Brilliant Pu		0				37 Mars red (Orange)	0			
20 Matt Purpl	-	0				39 Cappuccino	0			
21 Red Ruby		0				40 Kiwi	0			
22 Brilliant Re		0				41 Flamingo-Glitter	0			
23 Matt Red	eu	0				42 Matt-Anthracite	0			
24 Tutti Frutti	i Ora					43 Azure Blue	0			
24 Tulli Tulli	i Orai	ige o	Ь			43 Azure Blue	O			Ц
(1) Handrim	: only	with handrim	colour powe	der coated; F	łub/rim:	only for universal wheel				
		STICKER	COLOUR	S						
LRF100550	•	Sticker colo	ur - black							
LRF100551	0	Sticker colo	ur - silver							
		ANODIZE	D COLOU	R AXLE F	PLATE					
LRF100580	•	Axle plate a	nodized, bla	ck						
LRF100581	0	Axle plate a	nodized, sive	er						
LRF100582	0	Axle plate a	nodized, ora	nge						
		24 " LIGH	T WEIGH	T WHEEL	COL	OURS				
	•	Black								
LRF100336		Anodized, o	range							91
LRF100337		Anodized, b	lue							91
LRF100338		Anodized, re			_					91
	CO	MMENTS	FOR SPEC	CIAL BUIL	.D					
								built	z <mark>4</mark> me	
								Dane		
Quickie Life R - Basic Price £1,250										
		K - Dasi	Frice					£1,25	,	
Option pric Packaging		transport						£		
		ιιαιιομυτι						£		
Exclusive VAT VAT. £										
Total Price								£		
TOTAL PLICE	-									

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are < 90°

and positive angles are > 90°.

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Jay Basic (picture shown without upholstery)



Jay Soft Combi P (picture shown without upholstery)



Jay Easy Visco (picture shown without upholstery)



Jay Easy Fluid (picture shown without upholstery)



Jay Lite



Lap belt with buckle, metal

BACKREST



Backrest, angle-adjustable, lock when folded



Push handles long



Fold down push



Height adjustable push handles



EXO backrest sling



EXO PRO backrest sling

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk amrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85 ° (integrated footrest), inset (20

FRAME ACCESSORIES



Transit wheels



Tip assist




Crutch holder



Anti-tip swing away

FRAME ACCESSORIES







F

Hanger Angle 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Divided footplate composite



Divided footplate aluminium



Platform, angle and depth adjustable;flip up, aluminium with locking system

FORKS



Fork Aluminium, black, orange & silver

REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

TYRES



Right Run Tyre

Solid Tyre



Marathon Plus Evolution



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



Standard brake

ACCESSORIES



Caddy Back pack



High pressure pump



Air pump



Mobile phone pocket

Anodized colour axle plate



Axle plate anodized, orange



Axle plate anodized, silver



Axle plate anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red